

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptayvv1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 28	CA/CAPLUS patent coverage enhanced
NEWS	3	JUL 28	EFFULL enhanced with additional legal status information from the EPOline Register
NEWS	4	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	5	JUL 28	STN Viewer performance improved
NEWS	6	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	7	AUG 13	CA/CAPLUS enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	8	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	9	AUG 15	CAPLUS currency for Korean patents enhanced
NEWS	10	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	11	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	12	SEP 25	CA/CAPLUS current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	13	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and Korean patents enhanced
NEWS	14	SEP 29	IFICLS enhanced with new super search field
NEWS	15	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	16	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents
NEWS	17	OCT 07	EFFULL enhanced with full implementation of EPC2000
NEWS	18	OCT 07	Multiple databases enhanced for more flexible patent number searching
NEWS	19	OCT 22	Current-awareness alert (SDI) setup and editing enhanced
NEWS	20	OCT 22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications
NEWS	21	OCT 24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances
NEWS EXPRESS	JUNE 27 08	CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.	
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:20:35 ON 19 NOV 2008

```
=> file reg
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                     ENTRY      SESSION
FULL ESTIMATED COST                0.21          0.21
```

FILE 'REGISTRY' ENTERED AT 17:21:07 ON 19 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 18 NOV 2008 HIGHEST RN 1073232-10-6
DICTIONARY FILE UPDATES: 18 NOV 2008 HIGHEST RN 1073232-10-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.


REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10588080.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 H, Me, Et, CF₃, CC13, CBr₃, Cl₃

G2 X, Ak, O

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 17:21:33 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1468 TO ITERATE

100.0% PROCESSED 1468 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 27062 TO 31658

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 17:21:37 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 29297 TO ITERATE

100.0% PROCESSED 29297 ITERATIONS

6 ANSWERS

SEARCH TIME: 00.00.01

L3 6 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

178.57

FILE 'CAPLUS' ENTERED AT 17:21:42 ON 19 NOV 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Nov 2008 VOL 149 ISS 21

FILE LAST UPDATED: 18 Nov 2008 (20081118/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s l3

L4 4 L3

=> d l4 ibib abs hitstr l-

YOU HAVE REQUESTED DATA FROM 4 ANSWERS - CONTINUE? Y/(N):y

L4 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:1237498 CAPLUS

DOCUMENT NUMBER: 147:494040

TITLE: Antireflective film coatings with good adhesion to far-UV, x-ray, or electron-beam resists and polymers therefor

INVENTOR(S): Okumura, Arimichi; Koyama, Hiroshi

PATENT ASSIGNEE(S): Daicel Chemical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 19pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2007284535	A	20071101	JP 2006-112392	20060414

PRIORITY APPLN. INFO.: JP 2006-112392 20060414

GI



I

AB The polymers are prepared from monomers I [R1-R3 = H, F, C1-6 (fluoro)alkyl; W = single bond, bridging group; m = 1, 2, 3; OX = OH, OSO2R4, OCOR5, OCOCH2COR6 (R4-R6 = alkyl; ≥ 1 of X is other than H)]. Coatings containing the polymers and their crosslinking agents, forming films effectively preventing upper resist patterns from degrading, are also claimed.

IT 952678-95-4P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)


(antireflective film coatings containing adamantane group-containing macromols.

and with good adhesion to radiation-sensitive photoresists)

RN 952678-95-4 CAPLUS

CN 2-Propenoic acid, 2-methyl-, 3,5-

bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-1-yl ester (CA INDEX NAME)




IT 953812-11-8P
RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(antireflective film coatings containing adamantane group-containing macromols.

and with good adhesion to radiation-sensitive photoresists)
RN 953812-11-8 CAPLUS
CN 2-Propenoic acid, 2-methyl-, 3,5-bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-1-yl ester, polymer with 3-hydroxytricyclo[3.3.1.1^{3,7}]dec-1-yl 2-methyl-2-propenoate and phenylmethyl 2-methyl-2-propenoate (CA INDEX NAME)


CM 1

CRN 952678-95-4
CMF C16 H24 O8 S2




CM 2

CRN 115372-36-6
CMF C14 H20 O3



CM 3


CRN 2495-37-6
CMF C11 H12 O2



L4 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2007:1237276 CAPLUS
DOCUMENT NUMBER: 147:511608
TITLE: Photoresist resin compositions with good substrate adhesion and dry etching resistance, their (meth)acryl monomers, and their macromolecules

INVENTOR(S): Koyama, Hiroshi; Murai, Yoshiyuki; Nishimura, Masamichi
 PATENT ASSIGNEE(S): Daicel Chemical Industries, Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 25pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2007284381	A	20071101	JP 2006-114129	20060418
PRIORITY APPLN. INFO.:			JP 2006-114129	20060418
OTHER SOURCE(S):	MARPAT 147:511608			
GI				




I

AB Monomers represented by I [R1-R3 = H, F, C1-6 (fluoro)alkyl; W = single bond, bridging group; y = 1-3; OX = OSO2Rd, OCORe, OCOCH2CORf (Rd, Re, Rf = alkyl)], their polymers preferably having acid-labile alkali-soluble groups, and photoresist compns. containing the macromols. and photoacid generators are sep. claimed. Also claimed is a process for applying the photoresists on substrates, exposing, and developing to form precision patterns.

IT 952678-95-4P
 RL: IMF (Industrial manufacture); RCT (Reactant); TEM (Technical or engineered material use); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (pos. photoresists containing acid-labile macromols. having good balance between dry etching resistance, solvent solubility, and alkali developability)

RN 952678-95-4 CAPLUS

CN 2-Propenoic acid, 2-methyl-, 3,5-bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1.3]dec-1-yl ester (CA INDEX NAME)



IT 955027-97-1P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(pos. photoresists containing acid-labile macromols. having good balance between dry etching resistance, solvent solubility, and alkali developability)


RN 955027-97-1 CAPLUS

CN 2-Propenoic acid, 2-methyl-, 3,5-bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-1-yl ester, polymer with hexahydro-2-oxo-3,5-methano-2H-cyclopenta[b]furan-6-yl 2-methyl-2-propenoate and 1-methyl-1-tricyclo[3.3.1.1^{3,7}]dec-1-ylethyl 2-methyl-2-propenoate (CA INDEX NAME)

CM 1

CRN 952678-95-4


CMF C16 H24 O8 S2



CM 2

CRN 279218-76-7


CMF C17 H26 O2



CM 3

CRN 254900-07-7

CMF C12 H14 O4



DOCUMENT NUMBER: 147:477561
 TITLE: Substituted adamantyl (meth)acrylate monomers, photoresist protective films of their polymers for semiconductors in immersion exposure, and manufacture of semiconductors using them
 INVENTOR(S): Koyama, Hiroshi; Okumura, Arimichi
 PATENT ASSIGNEE(S): Daicel Chemical Industries, Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 17pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2007284368	A	20071101	JP 2006-111911	20060414
PRIORITY APPLN. INFO.:			JP 2006-111911	20060414
OTHER SOURCE(S):			MARPAT 147:477561	


AB The invention relates to (meth)acrylate monomers of C(R1)(R2):C(R3)CO2WQ1 [R1 - R3 = H, F, (H or F-substituted) C1-6 alkyl; W = single bond, linking group; Q1 = (XO)m-substituted 5-adamantyl; m = 1-3; OX = OSO2R4, O2CR5, O2CCH2COR6; R4 - R6 = (substituted)alkyl]. Pos. photoresists patterned by immersion exposure using the substituted adamantyl (meth)acrylate polymer films showed high fineness and accuracy.

IT 952678-98-7P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (protective film; substituted adamantyl (meth)acrylate polymer protective films for semiconductor photoresists by immersion exposure)

RN 952678-98-7 CAPLUS
 CN 2-Propenoic acid, 2-methyl-, polymer with
 3,5-bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-1-yl
 2-methyl-2-propenoate and cyclohexyl 2-methyl-2-propenoate (CA INDEX NAME)


CM 1

CRN 952678-95-4
 CMF C16 H24 O8 S2



CM 2

CRN 101-43-9
 CMF C10 H16 O2



CM 3

CRN 79-41-4

CMF C4 H6 O2




IT 952678-95-4P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(substituted adamantyl (meth)acrylate polymer protective films for semiconductor photoresists by immersion exposure)

RN 952678-95-4 CAPLUS

CN 2-Propenoic acid, 2-methyl-, 3,5-bis[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-1-yl ester (CA INDEX NAME)



L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:386486 CAPLUS

DOCUMENT NUMBER: 144:422706

TITLE: Acrylic acid ester-based polymers, positive resist compositions, and formation of resist patterns

INVENTOR(S): Ogata, Toshiyuki; Matsumaru, Shogo; Shiono, Hirotooshi; Haneda, Hideo

PATENT ASSIGNEE(S): Tokyo Ohka Kogyo Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 54 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006111733	A	20060427	JP 2004-300716	20041014
PRIORITY APPLN. INFO.:			JP 2004-300716	20041014
OTHER SOURCE(S):		MARPAT 144:422706		

GI




AB The polymers are (A) α -lower alkyl acrylate-based units having acid-dissociating and dissoln.-inhibiting groups and (B) $\text{CH}_2\text{CR}[\text{C}(\text{O})\text{O}(\text{CR}_1\text{R}_2)\text{sX}((\text{CR}_3\text{R}_4)\text{tOSO}_2\text{R}_5)]_n$ [R, R₁-R₄ = H, lower alkyl; R₁ = R₂ \neq alkyl; R₅ = (halogenated) lower alkyl; s, t = 0-3; u = 1-3; X = cyclic group]. The resist compns. comprise the polymers, whose alkali solubility is increased by the action of acids, and acid generators. Resist patterns are formed by applying the compns. on substrates, exposing, and developing. Sulfonic acid group-containing norbornene derivs. I [R₃, R₄ = H, lower alkyl; R₅ = (halogenated) lower alkyl; a = 0, 1; t = 0-3] are also claimed. Resolution of the resist compns. is improved.

IT 883868-04-0P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (sulfonyl-containing acrylate-based polymers for high-resolution pos. resist compns.)
 RN 883868-04-0 CAPLUS
 CN 2-Propenoic acid, 2-methyl-, 3-hydroxytricyclo[3.3.1.1^{3,7}]dec-1-yl ester, polymer with 2-methyl-5-[(methylsulfonyl)oxy]tricyclo[3.3.1.1^{3,7}]dec-2-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 883868-03-9
 CMF C16 H24 O5 S



CM 2

CRN 195000-66-9
 CMF C8 H10 O4



CM 3

CRN 115372-36-6
CMF C14 H20 O3

